

# **TraumaOne**

LORENZ® PLATING SYSTEM



#### One Surgeon. One Patient®.

Over 1 million times per year, Biomet helps one surgeon provide personalized care to one patient.

The science and art of medical care is to provide the right solution for each individual patient. This requires clinical mastery, a human connection between the surgeon and the patient, and the right tools for each situation.

At Biomet, we strive to view our work through the eyes of one surgeon and one patient. We treat every solution we provide as if it's meant for a family member.

Our approach to innovation creates real solutions that assist each surgeon in the delivery of durable personalized care to each patient, whether that solution requires a minimall-invasive surgical technique, advanced biomaterials, or a custom, patient-matched implant.

When one surgeon connects with one patient to provide personalized care, the promise of medicine is fulfilled.



Midface Screw Container



Comprehensive

One set contains all implants and instrumentation

# TraumaOne™ LORENZ® PLATING SYSTEM

#### **Streamlined**

Dedicated plate and screw implant containers



Midface Plate Container



Mandible Screw Container



Mandible Plate Container

## **Customizable**Extra container pockets and specialized areas for set customization








#### **REGULAR PLATES - SILVER**

#### GRADE II TITANIUM, 0.6MM



2x3 Matrix Plate Rectangle 01-7136



2x4 Matrix Plate Rectangle 01-7137



2-Hole Straight Plate, Medium 01-7345



2-Hole Straight Plate, Long 01-7347

0.0.0

4-Hole Straight Plate, Regular 01-7040



4-Hole Straight Plate, Medium 01-7045



4-Hole Straight Plate, Long 01-7047



6-Hole Straight Plate, Regular 01-7050

6-Hole Straight Plate, Long 01-7057







8-Hole Straight Plate, Regular 01-7062

16-Hole Straight Plate, Regular 01-7066

6-Hole Orbital Plate, Curved 01-7126



8-Hole Orbital Plate, Curved 01-7128



10-Hole Orbital Plate, Curved 01-7130



2x2 L Plate Left, Regular 01-7070



2x2 L Plate Right, Regular 01-7071



2x2 L Plate Left, Medium 01-7074



2x2 L Plate Right, Medium 01-7075



2x2 L Plate Left, Long 01-7078



2x2 L Plate Right, Long 01-7079



3x3 L Plate, 100° Left, Medium 01-7032




3x3 L Plate, 100° Right, Medium 01-7033




3x3 L Plate, 100° Left, X-Long 01-7036



3x3 L Plate, 100° Right, X-Long 01-7037





#### **SCREWS**

#### 1.5mm HT X-Drive Screws - Green

Part #	Description
95-6103	1.5 x 3.5mm HT X-Drive Self-Drilling
95-6104	1.5 x 4mm HT X-Drive Self-Drilling
95-6105	1.5 x 5mm HT X-Drive Self-Drilling
95-6105x	1.65 x 5mm HT X-Drive Self-Drilling
95-6106	1.5 x 6mm HT X-Drive Self-Drilling
95-6106x	1.65 x 6mm HT X-Drive Self-Drilling
95-6107	1.5 x 7mm HT X-Drive Self-Drilling

91-xxxx for single screws

#### 1.8mm Self-Tapping Emergency **Screws - Magenta**

Part #	Description
95-1803	1.8 x 3.5 HT X-Drive Emergency
95-1805	1.8 x 5 HT X-Drive Emergency
95-1807	1.8 x 7 HT X-Drive Emergency
95-1809	1.8 x 9 HT X-Drive Emergency

91-xxxx for single screws




91-xxxx for single screws

#### 1.5mm Self-Tapping Screws - Gold



#### **BLADES/DRILLS**

#### **BONE REDUCTION BLADES**



Carroll-Girard Screw, Hex End SP-2693

#### **BLADES**



HT X-Lock Short Blade 15-1194

HT X-Lock Standard Blade 15-1196

#### TWIST DRILLS



1.1 x 50mm, 5mm Stop 01-7142

1.1 x 50mm, 9mm Stop 01-7146

1.1 x 50mm, 7mm Stop 01-7144

1.1 x 50mm, 15mm Stop 01-7148

#### PLATES - SILVER

#### **GRADE II TITANIUM, 1.0MM**







2x7 Matrix Plate, Curved 42-1006



4-Hole Straight SP-2284



4-Hole Straight Plate with Gap 42-1004



4-Hole Straight Plate, Long Gap SP-2375



4-Hole Straight Plate, X-Long Gap SP-2376



7-Hole Straight Plate 42-1007



10-Hole Straight Plate SP-2256



16-Hole Straight Plate 42-1016



7-Hole Plate, Curved 42-1003



6-Hole Y Plate, Long 42-1002



7-Hole Double Y Plate SP-2665



6-Hole Double Y Plate, Small SP-2705

#### PLATES - GOLD

#### GRADE II TITANIUM, 1.6MM



2x7 Matrix Plate, Straight SP-2630



2x7 Matrix Plate, Curved SP-2631



4-Hole Straight Plate 43-1005



4-Hole Straight Plate with Gap 43-1004





6-Hole Straight Plate with Gap SP-2703 7-Hole Straight Plate 43-1007 16-Hole Straight Plate 43-1016

#### PLATES - GOLD

#### GRADE II TITANIUM, 1.6MM



7-Hole Plate, Curved 43-1008



Long Y Plate SP-2465



Angle Plate, Small 43-1001

#### **PLATES - BLUE**

#### **GRADE IV TITANIUM, 2.0MM**



4-Hole Plate with Gap SP-2292




6-Hole Straight Plate SP-2566



6-Hole Plate with Gap SP-2377

## 

24-Hole Straight Plate



Angle Plate, Large 44-1001

Double Angle Plate, Straight, Small Double Angle Plate, Straight, Medium 44-1018 (pictured)


44-1022

Angle Plate, Straight, Large 44-1021


Items not to scale

### **PLATES - MAGENTA** GRADE II TITANIUM, 2.6mm 16-Hole Straight Plate SP-2469 7-Hole Plate, Curved SP-2470 7-Hole Straight Plate SP-2468 Angle Plate, Small SP-2467 Double Angle Plate, Small Double Angle Plate, Medium SP-2276 (pictured) SP-2277 Angle Plate, Large 44-1005 Angle Plate, Straight, Large 44-1023


#### **PLATE TEMPLATES**



#### **PLATE TEMPLATES**



#### **SPECIALTY ITEMS**



#### **SCREWS**

#### 2.0mm X-Drive Non-Locking Screws

Part #	Description	
41-2205	2.0 x 5mm Self-Drilling	
41-2207	2.0 x 7mm Self-Drilling	
41-2005	2.0 x 5mm X-Drive	
41-2006	2.0 x 6mm X-Drive	
41-2008	2.0 x 8mm X-Drive	
41-2010	2.0 x 10mm X-Drive	
41-2012	2.0 x 12mm X-Drive	
41-2014	2.0 x 14mm X-Drive	
41-2016	2.0 x 16mm X-Drive	
41-2018	2.0 x 18mm X-Drive	

#### 2.0mm X-Drive Locking Screws





Items not to scale

#### **SCREWS**

#### 2.3mm X-Drive Non-Locking Screws



Part #	Description
41-2305	2.3 x 5mm X-Drive
41-2306	2.3 x 6mm X-Drive
41-2308	2.3 x 8mm X-Drive
41-2310	2.3 x 10mm X-Drive
41-2312	2.3 x 12mm X-Drive
41-2314	2.3 x 14mm X-Drive
41-2316	2.3 x 16mm X-Drive
41-2318	2.3 x 18mm X-Drive

#### 2.3mm X-Drive Locking Screws



Part #	Description
41-2406	2.3 x 6mm X-Drive Locking
41-2408	2.3 x 8mm X-Drive Locking
41-2410	2.3 x 10mm X-Drive Locking
41-2412	2.3 x 12mm X-Drive Locking
41-2414	2.3 x 14mm X-Drive Locking
41-2416	2.3 x 16mm X-Drive Locking
41-2418	2.3 x 18mm X-Drive Locking

#### 2.7mm X-Drive Non-Locking Screws



Part #	Description
41-2708	2.7 x 8mm X-Drive Emergency
41-2710	2.7 x 10mm X-Drive Emergency
41-2712	2.7 x 12mm X-Drive Emergency
41-2714	2.7 x 14mm X-Drive Emergency
41-2716	2.7 x 16mm X-Drive Emergency
41-2718	2.7 x 18mm X-Drive Emergency

#### 2.0mm Self-Drilling IMF Screws



Part #	Description
91-5607	2.0 x 7mm Self-Drilling IMF
91-5609	2.0 x 9mm Self-Drilling IMF
91-5611	2.0 x 11mm Self-Drilling IMF

#### **DRILLS**



01-9192

(pictured)

1.5x50mm, 7mm Stop 01-9193 1.6x50mm, 22mm Stop

46-1006

1.8x50mm Drill, 26mm Stop 24-2050



1.6x115mm, 26mm Stop 46-1007 1.8x115mm, 26mm Stop 46-1004

\_0000000C=



1.6mm Quick Connect Twist Drill SP-2721 1.8mm Quick Connect Twist Drill SP-2722 (pictured)

#### **BLADES**



TraumaOne™ Blade, Cross-Drive 46-1005



TraumaOne™ Blade, IMF 46-0011

## **INSTRUMENTATION**

#### **MIDFACE**









Green 1.5/2.0 Handle 01-7390

3-Prong Plate Bender 01-7167

Plate Bending Pliers 01-9728

Plate/Wire Cutter 01-7172





Plate Holding Wand

01-7186







T-Handle\* 46-0016 \*For bone reduction blades



Fernandes Orbital Retractor SP-2243

# **INSTRUMENTATION MANDIBLE** Plate Bender 46-0001 Plate Cutter 46-0002 Bone Reduction Forceps 46-0004





Drill Guide with Handle 46-0006



Depth Gauge 01-9125



Bending Pliers 46-0009

#### **MANDIBLE**



Trocar Handle 46-0012



Trocar 46-0013



Drill Guide 46-0015



Cheek Retractor 46-0014



Racheting Screw Driver 46-0008 Non-Racheting Screw Driver 46-0007 (pictured)



Plate Deburr Diamond, J-notch 01-2788



Full Guard SP-2244



Fiber Optic Cable, 10ft\* 01-0371

\*Equiped with ACMI fitting for lightsource

#### **MANDIBLE**

#### Plate/Screw Containers Designed to Fit into Standard TraumaOne™ Container



46-1500

\*Containers and instruments not included



Midface Screw Container 46-1501



Midface Plate Container 46-1502



Mandible Screw Container 46-1503



Mandible Plate Container 46-1504



IMF Implant Container SP-2462



Mandible Fracture Plate Container SP-2641



Mandible Reconstruction Plate Container SP-2642


#### **INSTRUMENTATION**

#### **MANDIBLE**

#### Plate/Screw Containers Designed to Fit into Aesculap® Containers



TraumaOne™ Midface Aesculap® Outer Container 46-1610



TraumaOne Midface Insert Tray 46-1611




Midface Screw Container 46-1601



Midface Plate Container 46-1602



TraumaOne Mandible Aesculap® Outer Container 46-1620



TraumaOne Mandible Insert Tray 46-1621



Mandible Screw Container 46-1603



Mandible Plate Container 46-1604

What fascinates you about the body is also what drives us. That's why we're always pushing the boundaries of engineering to make products that help you keep the human form as glorious as it was intended. To learn more about our breadth of products, call 800-874-7711 or visit us online at biometmicrofixation.com.

We'd love to join you in a conversation about the future.



One Surgeon. One Patient:

For more information on TraumaOne™, please contact us at:

#### **GLOBAL HEADQUARTERS**

1520 Tradeport Drive • Jacksonville, FL 32218-2480
Tel (904) 741-4400 • Toll-Free (800) 874-7711 • Fax (904) 741-4500 • Order Fax (904) 741-3059
www.biometmicrofixation.com

#### **EUROPE**

Toermalijnring 600 • 3316 LC Dordrecht • The Netherlands Tel +31 78 629 29 10 • Fax +31 78 629 29 12

As the manufacturer of this device, Biomet Microfixation does not practice medicine and does not recommend this product for use on a specific patient. The surgeon who performs any implant procedure must determine the appropriate device and surgical procedure for each individual patient. Devices shown in this brochure may not be cleared or licensed for use or sale in your individual country. Please contact your local distributor for information garding availability of these products. Information contained in this brochure is intended for surgeon or distributor information only and is not intended for patient distribution. All surgeries carry risks. For additional information, including indications, risks and warnings please see appropriate package insert or visit our web site at www.biometmicrofixation.com or call 1.800.874.7711